


NOTES:
SIGN WILL BE POSTED
AND MAINTAINED AT
APPLICANT'S EXPENSE


SIGN POST TO BE
PLACED ON COUNTY
RIGHT OF WAY LINE

ROTATE ROAD NAME
SIGN TO FACE TRAFFIC
ON COUNTY ROAD



LOCATION MAP
NO SCALE

ROAD NAME SIGN SHOWN FOR
DETAIL PURPOSE ONLY-ROAD
NAME SIGN TO BE ROTATED TO
FACE TRAFFIC ON COUNTY ROAD.



SIGN LAYOUT
NO SCALE

JACKSON COUNTY ROADS


MIKE KUNTZ, P.E.
COUNTY ENGINEER

| Date | By | Revision |
|------|----|----------|
| | | |
| | | |
| | | |
| | | |


**JCRD101:
PRIVATE ROAD SIGN**

\\Engineering\LIBRARY\COUNTY\STD_DWG\CURRENT\RD100-Miscellaneous\JCRD101-PrivateRoadSign.dwg

OCT 2017 NO SCALE



**JACKSON
COUNTY**
Roads




NOTE:

- 1) CONTRACTOR TO INSTALL SIDEWALK MOUNT SIGN POST SLEEVE
- 2) JACKSON COUNTY TO PROVIDE SIDEWALK MOUNT SIGN POST SLEEVE
- 3) JACKSON COUNTY TO INSTALL POST AND SIGN

SIDEWALK MOUNT SIGN POST SLEEVE



CALL 48 HOURS BEFORE YOU DIG



JACKSON COUNTY
Roads

JACKSON COUNTY ROADS

MIKE KUNTZ, P.E.
COUNTY ENGINEER


| Date | By | Revision |
|------|----|----------|
| | | |
| | | |
| | | |
| | | |

JCRD102:
SIGN POST INSTALLED IN SIDEWALK

\\Engineering\LIBRARY\COUNTY\STD_DWG\2017\RD100-Miscellaneous\JCRD102-SignPost.dwg

OCT 2017

NO SCALE



* ELEVATION AS DIRECTED BY COUNTY ROADS.

- ⊙ = GAS
- ⊙ = CABLE
- ⊙ = TELEPHONE
- ⊙ = SECONDARY POWER
- ⊙ = PRIMARY POWER

NOTES:

1. EXTEND PIPES 27' (MIN) LEFT AND RIGHT OF CENTERLINE.
2. ALL PIPES SHALL BE SCHEDULE 40, PVC WITH CAPPED ENDS.
3. PAINT CAPS THE APPROPRIATE ANSI COLOR AND PAINT SERVICE TYPE (i.e. "GAS") WITHIN 12" OF PIPE ENDS.
4. IMPRINT FACE AND TOP OF CURB WITH A 4" HIGH "C" AT CHASE CENTERLINE.
5. MINIMUM SEPARATION OF ELECTRIC, TELEPHONE AND CABLE IS 12".
6. MINIMUM SEPARATION OF GAS AND ELECTRIC IS 36".
7. CONTACT UTILITIES FOR SPECIFIC CONSTRUCTION NEEDS.

JACKSON COUNTY ROADS


MIKE KUNTZ, P.E.
COUNTY ENGINEER

| Date | By | Revision |
|------|----|----------|
| | | |
| | | |
| | | |



JCRD103:
UTILITY CHASE

I:\Engineering\LIBRARY\COUNTY\STD_DWG\2017\RD100-Miscellaneous\JCRD103-UtilityChase.dwg

OCT 2017 NO SCALE



JACKSON COUNTY
Roads



SECTION A - A

NOTES:

1. MAY BE CIRCULAR OR SQUARE. JOINT TO BE SMOOTH AND UNIFORM CLASS 3300 -3/4" CONCRETE, 4-6% ENTRAINED AIR.
2. ALL REINFORCING STEEL SHALL BE ASTM A615.
3. SET CONCRETE 1/4" BELOW A.C. FINISH GRADE.
4. PLACE CLSM BACKFILL IN EXCAVATION AREAS AS DIRECTED.

JACKSON COUNTY ROADS


MIKE KUNTZ, P.E.
COUNTY ENGINEER

| Date | By | Revision |
|------|----|----------|
| | | |
| | | |
| | | |


JCRD104:
MONUMENT/ VALVE BOX ADJUST

\\Engineering\LIBRARY\COUNTY\STD_DWG\2017\RD100-Miscellaneous\JCRD104-ValveAdjust.dwg

OCT 2017 NO SCALE



JACKSON COUNTY
Roads



* INITIAL
INSTALLATION
ONLY

NOTES:

ALL NEW OR REPLACED MONUMENTS WHICH FALL WITHIN STREET IMPROVEMENTS SHALL BE SET IN A MONUMENT CASE.


CONCRETE TO BE COMMERCIAL GRADE CONCRETE (CGC) PER OREGON STANDARD FOR CONSTRUCTION, SECTION 00440.00

ALL MONUMENTS THAT CAN BE REFERENCED SHALL BE SET OUTSIDE OF THE ROADWAY NEAR THE RIGHT OF WAY LINE.

| |
|-------------------------------------|
| JACKSON COUNTY ROADS |
| MIKE KUNTZ, P.E. COUNTY ENGINEER |

| Date | By | Revision |
|------|----|----------|
| | | |
| | | |
| | | |

| | |
|--|----------|
| JCRD105: MONUMENT CASE | |
| I:\Engineering\LIBRARY\COUNTY\STD_DWG\CURRENT\RD100-Miscellaneous\JCRD105-MonumentCase.dwg | |
| OCT 2017 | NO SCALE |



**JACKSON
COUNTY**
Roads